

Helping your children choose books they will love



Lovereading4kids.co.uk is a book website created for parents and children to make choosing books easy and fun

Opening extract from  
**Cool Maths 50 Fantastic Facts for  
Kids of All Ages**

Written by  
**Tracie Young and Katie Hewett**

Published by  
**Portico an imprint of Anova  
Books**

All Text is Copyright © of the Author and/or Illustrator

Please print off and read at your leisure.



First published in the United Kingdom in 2013 by  
Portico Books  
10 Southcombe Street  
London  
W14 0RA

An imprint of Anova Books Company Ltd

Copyright © Portico Books, 2013

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright owner.

ISBN 9781907554841

A CIP catalogue record for this book is available from the British Library.

10 987654321


Printed and bound by 1010 Printing International Ltd, China

This book can be ordered direct from the publisher at  
[www.anovabooks.com](http://www.anovabooks.com)

A+

Yawn!

25



# Great Moments in Maths

About 30000BC  
Palaeolithic peoples in central Europe and France record numbers on bones.

About 3000BC The abacus is developed in the Middle East and around the Mediterranean.

1950–1750BC  
The Babylonians (from part of present-day Iraq) know linear and quadratic equations, multiplication tables, square and cube roots.

575BC Greek mathematician Thales brings Babylonian mathematical knowledge, including geometry, to Greece.

500BC Pythagoras and his school, the Pythagoreans, study irrational numbers, the Golden Ratio, properties of triangles and Pythagorean theorem.

About 450BC  
Greeks begin to use written numerals.

About 300BC Euclid gives a systematic development of geometry in his *Elements*.

About 240BC Archimedes produces his inventions, including the Archimedes screw, and his writings on mathematics.

200BC Eratosthenes develops his sieve to isolate prime numbers.

About 1AD Chinese mathematician Liu Hsin uses decimal fractions.

263 By using a regular polygon with 192 sides Liu Hui calculates the value of  $\pi$  as 3.14159, correct to five decimal places.

594 Decimal notation, the system on which our current notation is based, is used for numbers in India.

About 980 French scholar Gerbert of Aurillac (later Pope Sylvester II) reintroduces the abacus into Europe. Uses Indian/Arabic numerals without a zero.

1150 Arabic numerals are introduced into Europe with Italian mathematician Gherard of Cremona's translation of Ptolemy's *Almagest*.

1202 Italian mathematician Fibonacci writes *Liber abaci* and calculates the Fibonacci sequence.

1494 Italian mathematician Luca Pacioli publishes *Summa de arithmetica, geometria, proportioni et proportionalita*, a summary of all the mathematics known at the time.

1514 Dutch mathematician Giel Vander Hoecke uses the '+' and '-' signs.

1557 Welsh doctor and mathematician Robert Recorde publishes *The Whetstone of Witte* that introduces '=' (the equals sign) into mathematics.

1615 German mathematician Johannes Kepler publishes work that shows early use of calculus.

1665 English mathematician Isaac Newton discovers binomial theorem and begins work on differential calculus.

1591 Frenchman François Viète uses letters as symbols for known and unknown quantities. Descartes later uses the letters 'x' and 'y' for unknowns.

1687 Newton publishes *The Principia or Philosophiae naturalis principia mathematica* (*The Mathematical Principles of Natural Philosophy*).

2003 Russian Grigori Perelman proves the Poincaré conjecture relating to 3-D spaces, first proposed in 1904, by Henri Poincaré.

1626 French mathematician Albert Girard publishes a work on trigonometry containing the first use of the abbreviations sin, cos and tan.

1799 Metric system introduced in France.

1823 Englishman Charles Babbage starts to build his 'difference engine', capable of calculating logarithms and trigonometric functions.

1879 English mathematician Alfred Bray Kempe publishes his false proof of the Four Colour Theorem.


1794 Frenchman Adrien-Marie Legendre publishes *Eléments de Géométrie*, an account of geometry that is a leading text for 100 years.

1976 Americans Kenneth Appel and Wolfgang Haken show that Kempe's Four Colour conjecture is true.

1994 English mathematician Andrew John Wiles proves Fermat's Last Theorem.

# Baby, It's Cold Outside - or Is It?

Going on a family holiday to an exotic destination? But are those temperatures in Celsius or Fahrenheit? Deciding what to pack is tricky enough already as the two units do not coincide (except when it's minus 40!). But relax, that bag will get packed, here's how to do a quick conversion.



## Let's Work It Out!

So, how do I convert a temperature in Celsius to Fahrenheit? For example, what is  $24^{\circ}\text{C}$  in Fahrenheit?

### Step 1

Multiply the  $^{\circ}\text{C}$  by 1.8:

$$24 \times 1.8 = 43.2$$

OR

Divide by 5 and multiply by 9:

$$24 \div 5 = 4.8$$

$$4.8 \times 9 = 43.2$$

**Step 2** Add 32 to the answer from Step 1.

## Did You Know?

The hottest temperature ever recorded on Earth is  $56.7^{\circ}\text{C}$  ( $134^{\circ}\text{F}$ ), recorded in Death Valley, California, USA, on 10 July 1913. It was previously thought to have been  $58^{\circ}\text{C}$  ( $136.4^{\circ}\text{F}$ ) recorded in El Azizia, Libya, in 1922, but this has since been disputed following a review by the World Meteorological Organization.

## The Maths

The Fahrenheit scale was proposed in 1724 by German physicist Daniel Gabriel Fahrenheit (who also invented the mercury thermometer), and is based on a zero value representing the freezing point of brine. Between 1743 and 1954, the Celsius (or Centigrade) scale used the freezing and boiling point of water as its basis. Although scientists have since altered this definition, it has remained the temperature scale of the metric system, and coincides at intervals with the Kelvin scale, the measure for temperature in the International System of Units. As they were unrelated on their formations, there is little correlation between Celsius and Fahrenheit – apart from the fact they are equal at  $-40^{\circ}$  – hence the need for a handy conversion method.

**The Answer**  $\rightarrow 43.2 + 32 = 75.2^{\circ}\text{F}$

To do this in reverse (convert  $^{\circ}\text{F}$  to  $^{\circ}\text{C}$ ), take away 32, and then divide by 1.8. (If you are just looking for a quick approximation, you can always use 2 instead of 1.8.) Or, once you have subtracted 32, divide by 9 and multiply by 5.

